=> file caplus FILE 'CAPLUS' ENTERED AT 16:18:44 ON 13 OCT 2010 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 13 Oct 2010 VOL 153 ISS 16 FILE LAST UPDATED: 12 Oct 2010 (20101012/ED) REVISED CLASS FIELDS (/NCL) LAST RELOADED: Aug 2010 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Aug 2010

CAplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2010.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy.html

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d que L1 STR

Structure attributes must be viewed using STN Express query preparation. 1.3 18 SEA FILE=REGISTRY SSS FUL L1 T. 4 1 SEA FILE=CAPLUS L3

=> d 14 ibib abs hit.

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN

ACCESSION NUMBER: 2005:55204 CAPLUS

DOCUMENT NUMBER: 142:134581

TITLE: Preparation of malonamide derivatives useful as

raf-kinase inhibitors

INVENTOR(S): Bruge, David; Buchstaller, Hans-Peter; Wiesner, Matthias; Finsinger, Dirk; Baumgarth, Manfred;

Sirrenberg, Christian; Zenke, Frank; Amendt,

Christiane; Grell, Matthias

PATENT ASSIGNEE(S): Merck Patent GmbH, Germany SOURCE: PCT Int. Appl., 202 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

	PATENT NO.									APPLICATION NO.								
WO					A2		20050120		WO 2004-EP6573									
	W:	AE, CN, GE, LK, NO, TJ, BW, AZ, EE, SI,	AG, CO, GH, LR, NZ, TM, GH, BY, ES, SK,	AL, CR, GM, LS, OM, TN, GM, KG, FI, TR,	AM, CU, HR, LT, PG, TR, KE, KZ, FR, BF,	AT, CZ, HU, LU, PH, TT, LS, MD, GB,	AU, DE, ID, LV, PL, TZ, MW, RU, GR, CF,	AZ, DK, IL, MA, PT, UA, MZ, TJ,	BA, DM, IN, MD, RO, UG, NA, TM, IE,	DZ, IS, MG, RU, US, SD, AT, IT,	EC, JP, MK, SC, UZ, SL, BE, LU,	EE, KE, MN, SD, VC, SZ, BG, MC,	EG, KG, MW, SE, VN, TZ, CH, NL,	ES, KP, MX, SG, YU, UG, CY, PL,	FI, KR, MZ, SK, ZA, ZM, CZ, PT,	GB, KZ, NA, SL, ZM, ZW, DE, RO,	GD, LC, NI, SY, ZW AM, DK, SE,	
114	2004			TG			2005	0120		2 112	004-	2555	66		2	00406	618	
	AU 2004255566 AU 2004255566									2					_	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,	
CA	2531485				A1 20050120			CA 2004-2531485 EP 2004-740026										
	R:						ES, TR,							NL,	SE,	MC,	PT,	
	2007 2007 APP	02133	374		A1					US 2 EP 2		5638. 1455	30 6	2	2 A 2	00406 0070: 0030 00406	125 707	

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT OTHER SOURCE(S): MARPAT 142:134581

GI

AB Malonamide derivs. of formula A-D-B [wherein: D is (un)substituted bivalent malonamide moiety; A and B are independently selected from (hetero)aryl derivs.], useful as raf-kinase inhibitors (no biol. data), were prepared For instance, malonamide derivative I was obtained via amidation of 3-[(4-chloro-3-trifluoromethylphenyl)aminol-2-oxo-propionic acid by 4-(4-pyridinyloxy)phenylamine with a yield of 57%.

OS.CITING REF COUNT: 6 THERE ARE 6 CAPLUS RECORDS THAT CITE THIS RECORD (7 CITINGS)

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT 827029-05-0P 827029-06-1P 827029-07-2P 827029-08-3P 827029-09-4P 827029-10-7P 827029-11-8P 827029-22-1P

```
827029-23-2P 827029-24-3P 827029-25-4P 827029-26-5P 827029-27P 827029-28-7P 827029-29-8P 827029-30-1P 827029-31-2P 827029-32-3P 827029-33-4P 827029-31-5P 827029-36-P 827029-36-7P 827029-37-8P RF: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
```

(preparation of malonamide derivs. useful as raf-kinase inhibitors)

=>